



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/021,098	12/12/2001	Howard Fingerhut	60027.0043US01/BS00345	8975
39262 7590 07/18/2007 MERCHANT & GOULD BELLSOUTH CORPORATION P.O. BOX 2903 MINNEAPOLIS, MN 55402			EXAMINER PEACHES, RANDY	
			ART UNIT 2617	PAPER NUMBER
			MAIL DATE 07/18/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/021,098

Applicant(s)

FINGERHUT, HOWARD

Examiner

Randy Peaches

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 23 January 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application
- ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. ***Claims 1-7, 9, 11-16 and 18-22*** are rejected under 35 U.S.C. 103(a) as being unpatentable over Nagendran (U.S. Patent Number 6,731,940 B1) in view of Brody et al. (U.S. Patent Number 4,670,899).

Regarding ***claim 1***, Nagendran discloses, a method for providing base station (10), which reads on claimed "entry node", location information to a service provider, as referenced in column 5 line 49, in a wireless telecommunication system, comprising the steps of:

- receiving from the wireless device a radio frequency acknowledgement to the said wireless entry node. See column 5 lines 33-35. See column 4 lines 55-67 and column 5 lines 1-22.
- sending a request for information, which reads on claimed "subscriber data packet," from a mobile device (11) to a wireless telecommunications system's said base station (10). See column 5 lines 33-35;

Art Unit: 2617

- forwarding resource identification information for the said base station (10) to the service provider. See column 5 lines 35-50; and
- wherein the location of the said base station (10) based on the resource identification information from the said base station (10). See column 5 lines 43-55.

However, Nagendran fails to clearly disclose extracting resource identification information from call record data associated with the wireless billing system.

Brody teaches in column 13 lines 37-45 of a LBSTATUS table (80), which reads on claimed "call record data," including resource identification information on the cell site. As well as sending the said LBSTATUS table (80) and a said subscriber data packet from a said base station to a MTX, which reads on claimed "mobile switch." See column 14 lines 22-37.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in view of Brody et al. (U.S. Patent Number 4,670,899) in order to provide the system a means of extracting said resource identification information to efficiently monitor and control the subscriber within a designated cell site.

The combination fails to specifically state that a frequency acknowledgement is sent from the said mobile device to the said entry node.

Larsson et al. discloses in column 10 lines 44-51 wherein the mobile station send and acknowledgement to the said base station in response to the base station sending a page to the said MS.

Therefore at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in and Brody et al. (U.S. Patent Number 4,670,899) to further include Larsson et al. (U.S. Patent Number 6,643,307) in order recognized that in response to the entry node sending information to the said mobile device, the mobile device sends an acknowledgement message back to the said entry node acknowledging the fact that the device is ready to communicate.

Regarding **claim 2**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 1**, Nagendran further discloses a method comprising the step of determining the number of service provider subscribers operating in the location of the said base station (10). See column 6 lines 42-49.

Regarding **claim 3**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 2**, Nagendran further teaches of step of modifying data transmitted to the subscribers to reduce overburdening components of the telecommunications system based on the number of the subscribers operating in the location of the base station (10). See column 2 lines 21-25 and lines 40-42.

Regarding **claim 4**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 3**, Nagendran discloses the step wherein modifying the data further comprises altering the frequency, volume and content of data

Art Unit: 2617

transmitted to the subscribers based on the number of the subscribers operating in the location of the base station (10). See column 2 lines 21-25.

Regarding **claim 5**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 1**, Nagendran discloses the step of sending said base station (10) information to the service provider subscribers operating in the location of the said base station (10). See column 2 lines 26-43 and lines 61-66.

Regarding **claim 6**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 5**, Nagendran discloses the step of sending the said base station (10) location information to the service provider subscribers includes sending commercial and non-commercial information related to an area covered by the said base station (10). See column 2 lines 40-66.

Regarding **claim 7**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 1**, Nagendran discloses a step further comprising the step of sending the said base station (10) location information to a third party subscriber of the location information on the operators of the said mobile device (11) located within a service area of the said wireless communication system said base station (10). See column 4 lines 11-25.

Regarding **claim 11**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 1**, Nagendran discloses a step of determining the location of the said base station based on the resource identification information from the said base station, further includes querying an entry node database for the location of the said base station (10) based on the resource information. See column 5 lines 57-64.

Regarding **claim 12**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 1**, Nagendran discloses a step in column 5 lines 39-50 wherein, the determination of the said base station (10) based on the said information from the said base station (10) further includes extracting the said location of the said base station (10) from the said information from the mobile station (11).

Regarding **claim 13**, Nagendran discloses a system for providing base station (10) location information to a service provider in a wireless telecommunication system, comprising:

- a mobile device (11) operative to send request information to a wireless telecommunications system said base station (10). See column 5 lines 33-35 receiving a service provider data packet from the service provider at a wireless device. Although Nagendran does not specifically state that a data packet is received at a mobile device (11) from a said service provider, it is inherent in the area of Cellular Communications that when a mobile device is in the active state, the

service provider recognizes the mobile device's (11) presence by sending out signals to the said mobile device. Therefore, as evidenced by the fact that one of ordinary skill in the art would have recognized that due to the response of the mobile device (11) by sending a data packet to the entry node, a previous step of receiving a packet from the service provider would have occurred prior. See column 4 lines 55-67 and column 5 lines 1-22. As well as receiving a service provider data packet from the service provider as a said mobile device (11). See column 5 lines 57-64;

- a mobile switch operative to send resource identification information for the entry node to the service provider. See column 5 lines 43-45.
- a service provider operative to determine the location of the said base station (10) on the resource information from the said base station (10). See column 5 lines 43-45.

However, Nagendran fails to clearly disclose extracting resource identification information from call record data associated with the wireless billing system.

Brody teaches in column 13 lines 37-45 of a LBSTATUS table (80), which reads on claimed "call record data," including resource identification information on the cell site. As well as sending the said LBSTATUS table (80) and a said subscriber data packet from a said base station to a MTX, which reads on claimed "mobile switch." See column 14 lines 22-37.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in view of Brody et al. (U.S. Patent Number 4,670,899) in order to



Art Unit: 2617

provide the system a means of extracting said resource identification information to efficiently monitor and control the subscriber within a designated cell site.

However, the combination fails to specifically state that a frequency acknowledgement is sent from the said mobile device to the said entry node.

Larsson et al. discloses in column 10 lines 44-51 wherein the mobile station send and acknowledgement to the said base station in response to the base station sending a page to the said MS.

Therefore at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in and Brody et al. (U.S. Patent Number 4,670,899) to further include Larsson et al. (U.S. Patent Number 6,643,307) in order recognized that in response to the entry node sending information to the said mobile device, the mobile device sends an acknowledgement message back to the said entry node acknowledging the fact that the device is ready to communicate.

Regarding **claim 14**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 13**, Nagendran disclose whereby the service provider is further operative:

- to determine the number of service provider subscribers operating in the location of the said base station (10). See column 6 lines 42-49.
- to modify data transmitted to the subscribers to reduce overburdening components of the telecommunications system based on the number of the

subscribers operating in the location of the said base station (10). See column 2 lines 21-25 and lines 40-42.

Regarding **claim 15**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 14**, Nagendran discloses wherein service provider is further operative:

- to modify the frequency, speed, volume and content of data transmitted to the subscribers based on the number of the subscribers operating in the location of the system's said base station (10). See column 2 lines 21-25.

Regarding **claim 16**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 13**, Nagendran discloses whereby the service provider is further operative to send base station (10) location information to service provider subscribers operating in the location of the system's said base station (10). See column 2 lines 26-43 and lines 61-66.

Regarding **claims 9 and 18**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claims 8 and 13**, Nagendran discloses a step of sending subscriber information from a said mobile device (11) to a wireless communication system said base station (10) further includes sending a radio frequency acknowledgement from the said mobile device to the said wireless communication said base station (10). See column 4 lines 55-67 and column 5 lines 1-22.

However, Nagendran fails to clearly disclose wherein creating a traffic log including resource identification information on the entry node and sending the traffic log and the subscriber data packet to a mobile switch.

Brody teaches in column 13 lines 37-45 of a LBSTATUS table (80), which reads on claimed "traffic log," including resource identification information on the cell site. As well as sending the said LBSTATUS table (80) and a said subscriber data packet from a said base station to a MTX, which reads on claimed "mobile switch." See column 14 lines 22-37.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in view of Brody et al. (U.S. Patent Number 4,670,899) in order to provide the system a means of developing a traffic log to efficiently monitor and control the subscriber within a designated cell site.

The combination fails to specifically state that a frequency acknowledgement is sent from the said mobile device to the said entry node.

Larsson et al. discloses in column 10 lines 44-51 wherein the mobile station send and acknowledgement to the said base station in response to the base station sending a page to the said MS.

Therefore at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in and Brody et al. (U.S. Patent Number 4,670,899) to further include Larsson et al. (U.S. Patent Number 6,643,307) in order recognized that in response to

Art Unit: 2617

the entry node sending information to the said mobile device, the mobile device sends an acknowledgement message back to the said entry node acknowledging the fact that the device is ready to communicate.

Regarding **claim 19**, Nagendran discloses a method of providing a base station (10) location information to a service provider in a wireless communication system, comprising the steps of:

- receiving a data packet from the said service provider at a said mobile device (11). See column 5 lines 57-64;
- at the base station (10), determining the location of the base station (10) based on the resource identification information. See column 5 lines 30-55;

However, Nagendran fails to clearly disclose wherein a switch, extracting the resource identification information from the traffic log.

Brody teaches in column 13 lines 37-45 of a LBSTATUS table (80), which reads on claimed "traffic log," including resource identification information on the cell site. As well as sending the said LBSTATUS table (80) and a said subscriber data packet from a said base station to a MTX, which reads on claimed "switch." See column 14 lines 22-37 and column 13 lines 37-45.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in view of Brody et al. (U.S. Patent Number 4,670,899) in order to

provide the system a means of developing a traffic log to efficiently monitor and control the subscriber within a designated cell site.

The combination fails to specifically state that a frequency acknowledgement is sent from the said mobile device to the said entry node.

Larsson et al. discloses in column 10 lines 44-51 wherein the mobile station send and acknowledgement to the said base station in response to the base station sending a page to the said MS.

Therefore at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Nagendran (U.S. Patent Number 6,731,940 B1) in and Brody et al. (U.S. Patent Number 4,670,899) to further include Larsson et al. (U.S. Patent Number 6,643,307) in order recognized that in response to the entry node sending information to the said mobile device, the mobile device sends an acknowledgement message back to the said entry node acknowledging the fact that the device is ready to communicate.

Regarding **claim 20**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 19**, further teaches, as disclosed by Nagendran in column 6 lines 42-49, wherein at the service provider, determining the number of subscribers operating in the location in the entry.

Art Unit: 2617

Regarding **claim 21**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 19**, further teaches, as disclosed by Nagendran in column 2 lines 21-25 and lines 40-42, wherein modifying of the data transmitted to the subscribers to reduce overburdening components of the said system based on the number of the subscribers operating at the said base station (10).

Regarding **claim 22**, as the combination of Nagendran , Brody and Larsson et al. are made, the combination according to **claim 19**, further teaches, as disclosed by Nagendran in column 2 lines 40-66, wherein information to the subscribers include sending commercial and non-commercial information related o an area covered by the said base station (10).

### ***Response to Arguments***

Applicant's arguments with respect to claims 1-22 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2617

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy Peaches whose telephone number is (571) 272-7914. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Randy Peaches  
RP

  
JOSEPH FEILD  
SUPERVISORY PATENT EXAMINER